

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT PART 1-SITE INFORMATION AND ASSESSMENT

	IFICATION
DI STATE	OZ BITÉ MAMOLA
IL	3890008946

Argonne National Laboratory 9700 South Cass Avenue 108 LATE 112F COCK 121 LEPTONE MAMBER Aubrey Smith 121 PCOCK 12	IL SITE NAME AND LOCATION						
Argonne 11 60439 DUPage 043 13 BOOKCHOOKTONE ARTINOS 10 8 7°5 8'24 0 BOOKCHOOKTONE ARTINOS 10 8 8 7°5 8'24 0 BOOKCHOOKTONE ARTINOS 10 8 8 7°5 8'24 0 BOOKCHOOKTONE ARTINOS 10 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Laboratory-Illinois (ANI-IP) National OFFIREET, NOUTE NO., ON SPECIFIC LOCATION DE						
Argonne 11 60439 DUPage 043 13 BOOKCHOOKTONE ARTINOS 10 8 7°5 8'24 0 BOOKCHOOKTONE ARTINOS 10 8 8 7°5 8'24 0 BOOKCHOOKTONE ARTINOS 10 8 8 7°5 8'24 0 BOOKCHOOKTONE ARTINOS 10 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ENE 319 Landfill	9700 South Cass Avenue					
DEPARTMENT SEE CONTINUATION SHEET SA1939 BLARESPONSBELE PARTIES SI OWNER AND	S) CITY				COOE DIST		
SEE CONTINUATION SHEET SEE CONTINUATION SHEET SEE CONTINUATION SHEET SA 1939 W. RESPONSIBLE PARTIES U.S. Department of Energy (DOE-CH) OSTATE OF PROPER SHEET Argonne II. 60439 9700 South Cass Avenue OSTATE OF PROPER SHEET Argonne National Laboratory OSTATE OF PROPER SHEET Argonne National Laboratory OSTATE OF PROPER SHEET Argonne National Laboratory OSTATE OF COMMERCE OF SHEET Argonne National Laboratory OSTATE OF COMMERCE OF SHEET OSTATE OF COMMERCE OF SHEET DE PROVIDE SE SHEET DE PROVIDE SE SHEET DO SOUTH Cass Avenue OSTATE OF COMMERCE OF SHEET DO SOUTH Cass Avenue OSTATE OF COMMERCE OF SHEET DO SOUTH CASS Avenue OSTATE OF COMMERCE OF SHEET DO SOUTH CASS Avenue OSTATE OF COMMERCE OF SHEET DO SOUTH CASS Avenue OSTATE OF COMMERCE OF SHEET DO SOUTH CASS Avenue OSTATE OF COMMERCE OF SHEET DO SOUTH CASS Avenue DO SOUTH CASS Avenue OSTATE OF COMMERCE OF SHEET DO SOUTH CASS AVENUE SOUTH CASS AVENUE DO SOUTH CASS AVENUE DO SOUTH CASS AVENUE DO SOUTH CASS AVENUE SOUTH CASS		1 IL	60439	vurage	043 13		
SEE CONTINUATION SHEET SEE CONTINUATION SHEET SA1939 MLRESPONSBULE PARTIES OF STREET PROJECT AND A STREET PROJ		1					
BILL RESPONSIBLE PARTIES 10 OF STREET AND STREET S				FPA Region	5 Records Ctr		
AL RESPONSIBLE PARTIES OF STREET PROMISED AND A SHAPE OF STRE	SEE CONTINU	IATION	SHEET		AN ARA MANAMARA		
BE RESPONSIBLE PARTIES OF COMMERCENCE OF COMMERCE OF COMMER				1 100 100 1101 1101 1101 1	<u> </u>		
U.S. Department of Energy (DDE-CH) 9800 South Cass Avenue BETT Argonne 1L 60439 (312) 972-2271 OS STREET STATE OF DEPCOR CONTRUCTION AND AND AND AND AND AND AND AND AND AN	M BECOMME PARTIES		 		1939		
Argonne IL 60439 (312) 972-2271 OF OFFRATOR PROMOTED AND ACTIVE OF OFFRATOR PROMOTED ACTIVE PROMOTED ACTIVE OF OFFRATOR PROMOTED ACTIVE PROMOTED ACTIVE OF OFFRATOR PROMOTED ACTIVE OFF		02 STN	ET phones, many				
Argonne IL 60439 (312) 972-2271 OF OFFRATOR PROMOTED AND ACTIVE OF OFFRATOR PROMOTED ACTIVE PROMOTED ACTIVE OF OFFRATOR PROMOTED ACTIVE PROMOTED ACTIVE OF OFFRATOR PROMOTED ACTIVE OFF	U.S. Department of Energy (DOE-CH)	1 9	9800 South	n Cass Avenue			
Argonne National Laboratory 9700 South Cass Avenue 9		04 STAT	E OS ZIP COOE	DO TELEPHONE NUMBER	T		
Argonne National Laboratory 9700 South Cass Avenue 108 LATE 112F COCK 121 LEPTONE MAMBER Aubrey Smith 121 PCOCK 12	Argonne	IL	60439	(312) 972-2271]		
Authority Smith Argonne IL 60439 1329 972-3998 Authory Smith Envir Compliance Official and Compliance	O7 OPERATOR process and process from armost			-			
Argonne IIL 60439 (312) 972-3998 Envir Compili- Inc A Private & B. Federal DOE-CH D A Private & B. Federal DOE-CH D C. STATE DO.COUNTY DE MANCOPAL D G. UNKNOWN II OWNEROOFEATON NOTERICATION OF PATENTIAL HAZARD II OWNEROOFEATON OF POTENTIAL HAZARD III ON CHARACTERIZATION OF POTENTIAL HAZARD III OWNEROOFEATON OF POTENTIAL HAZARD III OWNEROOFEATON OF POTENTIAL HAZARD III OF A PRIVATE O				n Cass Avenue			
TATTY OF OWNERS PECULIA AND THE ACTIVITY OF A PROVIDE BY THE ACTIVITY OF A	DE CITY *	- {			Aubrey Smith		
DE APRIVATE & B. FEDERAL DOE-CH Expertenen. DE OTHER Expertenen. DE OTHER CONCENTRACION OFFICE CONCENTRACION DE LA CONCENTRACION DO FORESCONTRACION DOS FORESCONTRACION PROPERTICAL REPORT DOS FORESCONTRACION DOS FORESCONTRACI		IIL	60439	(312) 972-3998	lance Officer		
DF.OTHER	C'A PRIVATE & B. FEDERAL DOE-CH		D C. STAT	TE DO.COUNTY DE.MU	INICIPAL		
TO CONTENT ASSESSMENT OF A RORA 3001 DATE RECEIVED: BOTH DAY YEAR OF CONTENT ASSESSMENT OF A RORA 3001 DATE RECEIVED: BOTH DAY YEAR OF CONTENT ASSESSMENT OF A RORA 3001 DATE RECEIVED: BOTH DAY YEAR OF CONTENT ASSESSMENT OF A RORA 3001 DATE RECEIVED: BOTH DAY YEAR OF CONTENT ASSESSMENT OF A RORA 3001 DATE RECEIVED: BOTH DAY YEAR OF CONTENT ASSESSMENT OF A RORA 3001 DATE RECEIVED: BOTH DAY YEAR OF CONTENT ASSESSMENT OF A RORA 3001 DATE RECEIVED: BOTH DAY YEAR OF CONTENT ASSESSMENT OF A RORA 3001 DATE RECEIVED: BOTH DAY YEAR OF A RORA 3001 DATE RECEIVED: BOTH DAY YEAR OF CONTENT ASSESSMENT OF RORA TO BE BRACETIVE OF A RORA TO BE CONTENT OF THE RORA TO BE CONTENT OF THE RORA TO BE A R	•		D G UNK	NOWN			
DA ACRA 3001 DATE RECEIVED: IV. CHARACTERIZATION OF POTENTIAL HAZARD DI ONSTE INSPECTION ST VES DATE OB 116 /87 C A EPA DB EPA CONTRACTOR C D. STATE DD. OTHER CONTRACTOR C CONTRACTOR DOZ STESTATUS COLUMNOWN DATE RESPONSE POSSIBLY PRESENT, KNOWN, ON ALEGED SEE CONTINUATION SHEET DI ON SHEET DI ON ACTIVE OR B. MACTIVE OS DESCRIPTION OF POTENTIAL MAZARD TO ENVIRONMENT AND ON POPULATION The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V. PRIORITY ASSESSMENT DI A MCH VI. INFORMATION AVAILABLE FROM GI CONTACT Barry Fritz Operational & Envir. Safety Division OF TELEPHONE PRANSES OF MAIN CONTRACTOR OF TELEPHONE PRANSES OF THE MAIN CONTRACTOR OF TELEPHONE OF THE MAIN CONTRACTOR OF TELEPHONE OF THE MAIN CONTRACTOR OF TELEPHONE OF THE MAIN CONTRACTOR OF THE MAIN CONTRACTOR OF THE MAIN CONTRACTOR	· (Soocd _T)						
N. CHARACTERIZATION OF POTENTIAL HAZARD OI ON SITE MSPECTION BY YES DATE O6 16 18 7 C A. EPA C B. EPA C B. EPA C D. EPA CONTRACTOR DOE CONTRACTOR DOTEMBRICATION DOE CONTRACTOR DO	DIA RCRA 3001 DATE RECEIVED: DB UNCONTRO	OLLED WA	STE SITE ICENCIA II	or DATE RECEIVED.	& C NONE		
STEE DATE OF 16.87 GA. EPA GB EPACONTRACTOR DC STATE DD. OTHER CONTRACTOR DC ENVIRONMENTAL SURVEY CONTRACTOR NAME(S) OZ STEE STATUS ROLLER OF THE DOLL THE DOLL TO THE DOLL		·		HINCH.	W. AFW		
CONTRACTOR NAME(S) OZ STIE STATUS COLORS OA ACTIVE ON B. INACTIVE OC. LINKNOWN ON DESCRIPTION OF PRESENT, KNOWN, OR ALLEGED SEE CONTINUATION SHEET OS DESCRIPTION OF POTENTIAL HAZAND TO ENVIRONMENT AND ON POPULATION The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V. PRIORITY ASSESSMENT OLA HIGH O							
CONTRACTOR NAME(S) 02 SITE STATUS POSSIBLY PRESENT, KNOWN, OR ALLEGED SEE CONTINUATION SHEET 03 DESCRIPTION OF POTENTIAL HAZARD TO EMPROPHIENT AND OR POPULATION The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V. PRIORITY ASSESSMENT 01 PRIORITY ASSESSMENT 01 PRODRITY FOR REFECTION COMES TO BE AND ALLEGED TO BE AND ALLEGED TO BE AND ALLEGED TO STELLE PROME NUMBER OF POPULATION TO STELLE PROME NUMBER OF							
OS STEE STATUS ROCKES ON THE D.C. LINKNOWN 1948 1956 DUNKNOWN OF DESCRIPTION OF POTENTIAL NAZARD TO ENVIRONMENT AND ON POPULATION The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V. PRIORITY ASSESSMENT OF PRIO	D NO			(Special			
ON DESCRIPTION OF FOTENTIAL HAZARD TO EMPROVILLENCE AND ON POPULATION The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V. PRIORITY ASSESSMENT OI PRIORITY FOR RESPECTION COMMENT OF THE PROPERTY OF THE PROPINTY OF THE PROP							
SEE CONTINUATION SHEET OS DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND ON POPULATION The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V. PRIORITY ASSESSMENT OI PRIORITY FOR RESPECTION CONTACT OI A. HIGH OI C. LOW OI D. HONE VL INFORMATION AVAILABLE FROM OI CONTACT OO PERSON RESPONSIBLE FOR ASSESSMENT OI PERSON RESPONSIBLE FOR ASSESSMENT OS AGENCY OI OF OF THE CONTACT OF THE CONT	DI A. ACTIVE (2) B. INACTIVE DI C. UNKNOWN				M		
OS DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND OR POPULATION The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V. PRIORITY ASSESSMENT OI PRIORITY FOR RESPECTION OF THE PRIORITY OF	O4 DESCRIPTION OF SUBSTANCES POSSIBLY PRESENT, KNOWN, OR ALLEGED						
OS DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND OR POPULATION The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V. PRIORITY ASSESSMENT OI PRIORITY FOR RESPECTION OF THE PRIORITY OF	SEF CONTINUATION SHEFT						
The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V.PRIORITY ASSESSMENT OI PRIORITY ASSESSMENT OI A. HIGH OI A. HIGH OI CONTACT Barry Fritz Operational & Envir. Safety Division OI TELEPHONE NUMBER OI TELEPHONE NUMB							
The greatest potential hazard resulting from the site appears to be the potential for surface water or groundwater contamination. V.PRIORITY ASSESSMENT OI PRIORITY ASSESSMENT OI A. HIGH OI A. HIGH OI CONTACT Barry Fritz Operational & Envir. Safety Division OI TELEPHONE NUMBER OI TELEPHONE NUMB	DE DESCRIPTION DE POYENTAL HAZARO TO ENMOCRAÇÃO A O CONTRACTOR DE POYENTAL DE						
For surface water or groundwater contamination. V.PRIORITY ASSESSMENT OI PRIORITY FOR INSPECTION.COME OF THE PRIORITY OF THE							
OI PRONTY FOR INSPECTION COME OF THE PROPERTY				· · · · · · · · · · · · · · · · · · ·	-		
OI PRONTY FOR INSPECTION COME OF THE PROPERTY					-		
VL INFORMATION AVAILABLE FROM OI CONTACT Barry Fritz Operational & Envir. Safety Division OF PASON RESPONSIBLE FOR ASSESSMENT OS AGENCY OB ORGANIZATION OF TELEPHONE NUMBER OF DATE (312) 972-3311 O4 O6 188 OCITE OF THE PROPERTY	V. PRIORITY ASSESSMENT						
VL INFORMATION AVAILABLE FROM OI CONTACT Barry Fritz Operational & Envir. Safety Division OI TELEPHONE NUMBER OS AGENCY OS AGENCY OS AGENCY OS AGENCY ON THE CONTACT	•	-	Pan 3 - Description of a	Historia Conditions and maderial			
OF CONTACT Barry Fritz Operational & Envir. Safety Division OF PERSON RESPONSIBLE FOR ASSESSMENT OS AGENCY OB ORGANIZATION OF TELEPHONE HUMBER OB DATE C. L. Cheever DOE ANL-IL O3121 972-3311 O4 06 1 88 OCITE OF THE PROPERTY O	□ A. HIGH □ C, LOW □ C, LOW □ C, LOW	واختلوب وسنوا	D D.HO	INE Litter assen areaed arrange arrang any			
Barry Fritz Operational & Envir. Safety Division (312) 972-2271 ON PERSON RESPONSIBLE FOR ASSESSMENT OS AGENCY OF ORGANIZATION OF TELEPHONE NUMBER OF DATE C. L. Cheever DOE ANL-IL (312) 972-3311 04 06 188	L						
C. L. Cheever DOE ANL-IL 13121 972-3311 04 06 1 88	1		,		DETELEPHONE NUMBER		
C. L. Cheever DOE ANL-IL '312' 972-3311 04 06 88				afety Division	(312) 972-2271		
		04.0	RGANZATION	i i	1		
	C. L. Cheever DOE	A	NL-IL	['312' 972-331	1 14 115 1 88		

Part 1 - Site Information and Assessment

ANL-IL IL 3890008946

ENE 319 Landfill

Directions to Site:

From I-55, exit Cass Ave. south. Turn west on Northgate Road and enter facility. The 319 area is located on the south side of ANL-IL. The ENE 319 Landfill was a gully located at the southeast end of Meridian Road and ENE of the later developed 319 Landfill.

Description of Substances Possibly Present, Known or Alleged

The landfill was developed at the beginning of the ANL-IL site development. There is no record of the total amount of material dumped into the landfill. The landfill was not intended to be used as a disposal site for radioactive materials. Wastes were supposedly monitored for radiation prior to disposal. It is possible that radioactive or toxic wastes may have inadvertently been discarded at the site.



POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT PART 2-WASTE INFORMATION

	IFICATION
OI STATE	3890008946

	ATES, QUANTITIES, AN			/			
		V					
L'A TONC L'E POWDER, PRIES . F LIQUE L'E SLUDGE . G GAS CURIC YARDS				CTME L'G FLA	MARLE LIK REACTI TABLE LIL INCOMP	VE PATIBLE	
CD.OTHER	- Agreent	NO.OF DRUMS				M HOT AP	PUCABLE
ML WASTE T	YPE						
CATEGORY	QUESTANCE	MME	THUOMA 22000 10	02 UNIT OF MEASURE	03 COMMENTS		
SU)	SLUDGE						
OLW	OILY WASTE					····	
\$OL.	SOLVENTS			<u> </u>			
PSO	PESTICIDES						,
000	OTHER ORGANIC C	HEMICALS	<u> </u>				
100	INORGANIC CHEMIC	CALS			<u> </u>		
ACD	ACIOS						
BAS	BASES		·				
MES	HEAVY METALS				<u> </u>		
DI CATEGORY	DUS SUBSTANCES (544.4		DO CAS HUMBER	04 \$10RAGE-DIS		05 CONCENTRATION	OS ME ASUNE OF
-00C	Hydrogen-3		10028-17-8			105	pCi/liter
MES	Potassium-40)	999	Land		21.4	pCi/liter
MES	Cesium-137		999	Land		0.3	pCi/liter
MES	Radium-226		999	Land		1.6	pCi/liter
MES	Thorium-228		999	Land		1.2	pCi/liter
MES	Thorium-232		999	Land		1.0	pCi/liter
MES	Barium	·	7440-39-3	Land		0.4	mg/liter
MES	Cadmium		7440-43-9	Land		0.8	mg/liter
MES	Chromium		7440-47-3	Land		0.6	mg/liter
MES	Lead		7439-92-1	Land		34.0	mg/liter
							<u> </u>
							
				1		-	
V. FEEDSTO	CKS issues or CAS man						
CATEGORY	O1 FEEDSTO	CK NAME	02 CAS HUMBER	CATEGORY	O1 FEED	STOCK HAME	02 CAS NUMBER
FDS				FDS			
FDS				FDS			
FDS		·		FDS			
FDS				FDS			
VL SOURCE	S OF INFORMATION «-	• ************************************	g , sure time samp analysis	aven I	., <u> </u>		
1				-			
SEE CO	NTINUATION SHE	ET					
1							
1							

Part 2 - Waste Information

ANL-IL IL 3890008946

ENE 319 Landfill

Sources of Information

- (2) Phase I CERCLA Program, ANL-IL Installation Assessment Report (required by DOE order 5480.14), July 1986, p. 30-31.
- (16) Letter to A. L. Toboas (DOE-CH) from E. Gale Pewitt (ANL-IL); Subject: ANL Environmental Sampling Reports for the 319 and ENE 319 Areas; October 26, 1987, with attachments; Sample 25593.
- (20) ANL-IL Intra-laboratory memo to D. P. O'Neil from N. W. Golchert; Subject: Results of the Analysis of the ENE 319 Landfill Samples; January 16, 1987, Samples 86W266, 86S14.

SEPA

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

L IDENTIFICATION
or STATE OF SITE NUMBER
IL 3890008946

SEE CONTINUATION SHEET OI DB SURFACE WATER CONTAMINATION	02 D OBSERVED (DATE) Ø POTENTIA	. DALLEGED
01 (3.8 SURFACE WATER CONTAMINATION		CI POYENTA	
AI DA GOIT MOC MILLEN DO M		1 CO SOTTEMBA	
		.) Brothing	D WTEGED
01 EXC. CONTAMNATION OF AIR 03 POPULATION POTENTIALLY AFFECTED 0	02 L'OBSERVEDIDATE	_) ŽÍ POTENTA	AT . D WTEGEO
The landfill has been covered with contamination is negligible.	n topsoil and grass. T	he potential	for air
	02 (2 OBSERVED (DATE 04 NARRATIVE DESCRIPTION	_1 © POTENTIA	AL D'ALLEGED
	02 :- OBSERVED (DATE	_) & POTENTI	AL E ALLEGED
O1 XXF. CONTAMINATION OF SOIL O3 AREA POTENTIALLY AFFECTED The soil in the landfill could pot or toxic wastes were disposed in			_
01 & G DRINKING WATER CONTAMINATION 23,000	02 © OBSERVED (DATE	_} Ö POTENTO	NT IS WITERED
SEE CONTINUATION SHEET			
OI M H. WORKER EXPOSURE MUURY OJ WORKERS POTENTIALLY AFFECTED: 50 employees The potential for worker exposure employees who enter the area for to date, no such exposure has been	to contaminated soil owork, monitoring or ins		s exist for
01 DT POPULATION EXPOSURE/INJURY 03 POPULATION POTENTIALLY AFFECTED	02 D OBSERVED (DATE	_) D POTENT	INL . D ALLEGED

Part 3 - Description of Hazardous Conditions and Incidents

ANL-IL IL 3890008946

ENE 319 Landfill

Groundwater Contamination:

The potential for groundwater contamination exists. Groundwater in part of the ANL-IL facility is in the perched condition because of the relative impermeability of the underlying silty clay. This clay can restrict downward water flow and create a lateral perched water flow condition. The groundwater pattern in the area would probably follow the area topography, flowing southeasterly toward the Des Plaines River. Contaminated water may percolate downward into the perched groundwater and migrate in a southeasterly direction offsite. (Ref. (5) p. 1-2.)

Drinking Water Contamination:

In the vicinity of ANL-IL, only subsurface water (from both shallow and deep aquifers) and Lake Michigan water are used for drinking purposes. The potential for contamination of groundwater used for drinking purposes does exist. Two principal aquifers are used as water supplies in the vicinity of ANL-IL. The upper aquifer is the Niagaran-Alexandrian dolomite which is about 200 ft. thick in the ANL-IL area and has a piezometric surface between 50 and 100 ft. below the ground surface. The lower aquifer is the Galesville sandstone which lies between 490 and 1,500 ft. below the surface. Maquoketa Shale separates the aquifers and retards hydraulic connection between the aquifers.

The four domestic water wells currently in use at ANL-IL are about 300 ft. deep in the Niagaran dolomite. All four wells are located north of the site. The nearest well is approximately 1 mile northeast of the site. Groundwater in the area of the site probably flows toward the southeast.

The distance to the nearest well is 1 to 2 miles and a population of 3,000 - 10,000 is served. (These are the ranges which were used for HRS scoring of the site in Ref. 2.)

Population = 3,000 employees + 20,000 residents within 3 miles and north of the Des Plaines River.

(Ref. (1) p. 8, 12, Ref. (2) p. 6 and Attachment 1, Ref. (5) p. 1-2.)



POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT

PART 3-DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

L IDENTIFICATION
of STATE OF SITE NAMER
IL 3890008946

N. HAZARDOUS CONDITIONS AND INCIDENTS (Control							
OL : X.1 DAMAGE TO FLORA O4 PIASHATIVE DESCRIPTION	02 CI OBSERVED (OATE:)		C) ALLEGED				
The potential for damage to flora i exist. To date, no damage to flora have been observed.	n the immediate vicinity resulting from wastes di	of the landfi sposed in the	landfill				
UI V. K. DAMAGE TO FAUNA G4 FIATURE DESCRIPTION product account appears	02 [] OBSERVEO (DATE:)	ID POTENTIAL	D ALLEGED				
SEE CONTINUATION SHEET							
01 L. L. CONTAMINATION OF FOOD CHAIN U4 NAMEALIVE DESCRIPTION	02 CJ OBSERVED (DATE:)	() POTENTIAL	□ ALLEGED				
01 (J. M. UNSTABLE CONTAINMENT OF WASTES (St. de consolidated by particularly desired) 03 POPULATION POTENTIALLY AFFECTED:	02 CJ OBSERVEQ (DATE:) 04 NARRATIVE DESCRIPTION	() POTENTIAL	C] ALLEGED				
01 (N. DAMAGE TO OFFSITE PROPERTY 04 NATRATIVE DESCRIPTION	02 D OBSERVED (DATE:)	() POTENTIAL	() ALLEGED				
()1:: O. CONTAMINATION OF SEWERS, STORM DRAINS, WWTP& ()4 NARPIATIVE DESCRIPTION	02 D OBSERVED (DATE:)	D POTENTIAL	() ALLEGED				
.01:1P ILLEGAL/UNAUTHORIZED DUMPING 04 NARIVATIVE DESCRIPTION	02 (] OBSERVED (DATE:)	() POTENTIAL	() ALLEGED				
G5 12:30RIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLEG	GEO HAZAROS						
M. 191AL POPULATION POTENTIALLY AFFECTED: SFE	CONTINUATION SHEET						
IV. COMMENTS							
V. S. SISICES OF INFORMATION (Conspectic references, e.g., state thas, sample analysis, reports)							
SEE CONTINUATION SHEET							

Part 3 - Description of Hazardous Conditions and Incidents

ANL-IL IL 3890008946

ENE 319 Landfill

Damage to Fauna:

The potential for damage to fauna due to ingestion of contaminated leachate is negligible. The site is covered with soil and grass so this provides a protective barrier between the landfill and local fauna. A number of animals freely wander the ANL-IL site and the surrounding forest preserve.

Total Population Potentially Affected:

23,000 (3,000 employees + 20,000 residents within 3 miles and north of the Des Plaines River.) (Ref. (1) p. 8.)

Sources of Information

- (1) 1986 Annual Site Environmental Report for Argonne National Laboratory (Report #ANL-87-9) by N. Golchert and T. Duffy.
- (2) Phase I CERCLA Program, ANL-IL Installation Assessment Report (required by DOE order 5480.14), July 1986.
- (3) 1988 Inventory of Federal Hazardous Waste Activities (for ANL-IL).
- (4) Environmental Assessment Related to the Operation of Argonne National Laboratory (DOE/EA-0181), August 1982.
- (5) ANL-IL Intra-laboratory memo, to N. W. Golchert, from S. Y. Tsai; Subject: Groundwater Monitoring Plan for the 317-319 Area; September 17, 1985.
- (6) Site Plan (ANL-IL Map), January 9, 1986.
- (7) ANL Map with PA legend, April 1988.

Summary Report for Preliminary Assessment of the ANL-IL

ENE 319 Landfill

4/13/88

The ENE 319 Landfill was the earliest ANL-IL landfill and was closed in 1956. The landfill is located at the west bank of a ravine. The landfill was not for radioactive or hazardous wastes but the potential exists that some of these materials could have inadvertently been disposed in the landfill. Debris was dumped over the bank and was later covered over with earth.

Environmental monitoring at the site has been of surface water and soil. Conditions are generally comparable to ambient analyses except for some metal turnings in a soil coring.

Recommendations: (1) Continue environmental monitoring assessment.

(2) Complete Site Investigation (SI).

ARGONNE NATIONAL LABORATORY

intra-laboratory memo

February 16, 1988

TO:

File

FROM:

C. L. Cheever

SUBJECT: 319 Landfill and ENE 319 Landfill

T. Astorino advised that there were three trenches about 250 feet long by 60 .* feet wide by 12 feet deep and that the total weight of trash, including the mound, is roughly estimated at 30,000 tons.

The ENE 319 landfill is estimated to contain 2,400 tons of trash.

CLC:gl

cc: File: ENE319

Reference 21 Invirosemples ENE 3A Lange RECEIVED C. L. CHEEVER WASTE OPERATIONS MANAGER ENVIRONMENTAL COGRDINATOR LABORATORY INTRA-LABORATORY MEMO JAN 15 ℃/ January 16, 1987 INFO HANDLE CLC **RWD** WHK

SSD/OHS

SSD70HS

To:

D. P. O'Neil

From:

ARGONNE

NATIONAL

N. W. Golchert McL

Subject: Results of the Analysis of the ENE 319 Landfill Samples

Part of Recommendation EP-86-8 in the DOE-CH Environmental Protection Appraisal conducted May 27, 1986 to June 10, 1986, required the Laboratory to conduct a sampling program at the former landfill ENE of the 319 Facility. The purpose of the sampling and analysis was to comply with the Phase II DOE CERCLA characterization program, to confirm the presence or absence of hazardous waste at this location or migration from this area. In order to characterize the radiological condition of the ENE landfill, water and sediment samples were collected in the spring and fall from the drainage alongside the landfill, and six shallow subsurface soil samples were collected in the fall.

WLM **ERT**

The results of the analyses of these samples is collected on the attached table. All measured concentrations are consistent when compared to the offsite control samples collected as part of the Environmental Monitoring Program. These results are published in ANL-86-13. There is no evidence that any radioactive material is buried in this area or is migrating from this former landfill.

NWG:rb Attachment

C. L. Cheever

N. W. Golchert

R. A. Wynveen

FORMER LANDFILL ENE OF THE 319 FACILITY

Sample Number	Date Collected	Water (Concentrations in pCi/L)							
		Nonvola	tile Alpha	Nonvolatile Be	ta Hydrogen	-3			
86W266	6/25/86	0.8	± 0.2	5.3 ± 0.3	105 ± 9	6			
86W513	11/11/86	0.4	± 0.2	6.2 ± 0.4	< 100				
	Sediment (Concentrations in pCi/g)								
		Potassium-40	Cesium-137	Radium-226	Thorium-228	Thorium-232			
86BS17	6/25/86	15.5 ± 0.5	0.2 ± 0.1	1.1 ± 0.1	0.8 ± 0.1	0.6 ± 0.1			
86BS24	11/11/86	15.0 ± 0.6	0.1 ± 0.1	1.4 ± 0.1	0.8 ± 0.1	0.7 ± 0.1			
			Soil (Conc	entrations in p	Ci/g)				
		Potassium-40	Cesium-137	Radium-226	Thorium-228	Thorium-232			
86514	9/3/86	21.4 ± 0.8	0.3 ± 0.1	1.6 ± 0.1	1.2 ± 0.1	1.0 ± 0.1			
86515	9/3/86	22.9 ± 0.8	0.1 ± 0.1	1.4 ± 0.1	1.0 ± 0.1	0.8 ± 0.1			
865116	11/25/86	20.6 ± 0.8	0.4 ± 0.1	1.4 ± 0.1	1.1 ± 0.1	0.9 ± 0.1			
865117	11/25/86	20.7 ± 0.8	0.4 ± 0.1	1.4 ± 0.1	1.0 ± 0.1	0.9 ± 0.1			
865118	11/25/86	18.3 ± 0.8	0.3 ± 0.1	1.4 ± 0.1	1.1 ± 0.1	0.9 ± 0.1			
865119	11/25/86	18.5 ± 0.7	0.2 ± 0.1	1.5 ± 0.1	0.9 ± 0.1	0.8 ± 0.1			